

The logo for Krono Original, featuring the brand name in white text on a dark teal rectangular background.

Krono
Original

High Quality

Made by Kronospan



FLOORS WALLS

Product & Decor Overview



Product Overview

		Collection	Water Protection (Coreboard)			Thickness/Pad	Durability	Warranty ^{a3}	Microscratch	Petproof	PerfectPad®	Perfect Plank	Multi Room Concept	Bevel	Authentic Embossed	SKU
ROCKO VINYL FLOORING		LONG PLANK SILENT 1850 x 295 mm 72.83" x 11.61"				6 mm incl. 1 mm PerfectPad® IXPE	 Titanium Ultra ^{s5}	30 years	✓	✓	✓	✓		✓	✓	4
		HERRINGBONE SILENT 635 x 127 mm 25.00" x 5.00"				6 mm incl. 1 mm PerfectPad® IXPE	 Titanium Ultra ^{s5}	30 years	✓	✓	✓	✓		Micro Bevel	✓	6
		WIDE PLANK SILENT 1210 x 234 mm 47.64" x 9.21"				6 mm incl. 1 mm PerfectPad® IXPE	 Titanium Ultra ^{s5}	30 years	✓	✓	✓	✓ ^{t4}		✓	✓ ^{t4}	12
		STANDARD PLANK SILENT 1210 x 192 mm 47.64" x 7.56"				6 mm incl. 1 mm PerfectPad® IXPE	 Titanium Ultra ^{s5}	30 years	✓	✓	✓	✓ ^{t4}		✓	✓ ^{t4}	8
O.R.C.A. WATERPROOF FLOORING		DURASTAR SILENT CORK 630 x 126 mm 24.80" x 4.96" 1288 x 245 mm 50.71" x 9.65" 2003 x 245 mm 78.86" x 9.65"				9 mm 13 mm incl. 1 mm PerfectPad® Cork	 AC6	Lifetime	✓	✓	✓	✓ ^{t4}	✓ ^{t4}	✓	✓	16
		FLEX SILENT CORK 638 x 322 mm 25.12" x 12.68" 1288 x 189 mm 50.71" x 7.44"				7 mm incl. 1 mm PerfectPad® Cork	 Titanium Ultra ^{s5}	30 years	✓	✓	✓			✓		11
		CLASSIC SILENT ECO/CORK 1286 x 192 mm 50.63" x 7.56" ECO 1288 x 195 mm 50.71" x 7.68" ECO 1383 x 159 mm 54.45" x 6.26" Cork				8.5 mm 9 mm incl. 1 mm PerfectPad® ECO incl. 1 mm PerfectPad® Cork	 AC5	30 years	✓	✓	✓	✓ ^{t4}		Pressed Bevel Soft Bevel	✓ ^{t4}	12
		CLASSIC 638 x 330 mm 25.12" x 12.99" 1288 x 195 mm 50.71" x 7.68"				8 mm	 AC5	30 years	✓	✓		✓ ^{t4}		✓	✓ ^{t4}	13
		COMFORT SILENT CORK 1288 x 195 mm 50.71" x 7.68"				8 mm incl. 1 mm PerfectPad® Cork	 AC5	20 years	✓	✓	✓			✓		6
		CLEVER SILENT ECO 1288 x 195 mm 50.71" x 7.68"				7 mm incl. 1 mm PerfectPad® ECO	 AC5	20 years	✓	✓	✓			✓	✓	6
REAL WOOD FLOORING		REAL WOOD 1383 x 244 mm 54.45" x 9.61"				8.5 mm	 Titanium Ultra ^{s5}	20 years		✓				Soft Bevel		3
		LONG PLANK 12 2003 x 245 mm 78.86" x 9.65"				12 mm	 AC5	30 years	✓	✓		✓ ^{t4}		✓	✓ ^{t4}	6
MO.RE! WATER RESISTANT FLOORING		ATLANTIC 12 1288 x 195 mm 50.71" x 7.68"				12 mm	 AC5	30 years	✓	✓		✓ ^{t4}		✓	✓	6
		ATLANTIC 10 1288 x 195 mm 50.71" x 7.68"				10 mm	 AC5	30 years	✓	✓		✓ ^{t4}		✓	✓	14
		HERRINGBONE 8 630 x 126 mm 24.80" x 4.96"				8 mm	 AC5	20 years	✓	✓		✓ ^{t4}	✓ ^{t4}	✓	✓ ^{t4}	10
		LONG PLANK 8 2003 x 245 mm 78.86" x 9.65"				8 mm	 AC4	20 years		✓		✓	✓	✓	✓ ^{t4}	6
		ATLANTIC 8 638 x 330 mm 25.12" x 12.99" 1288 x 195 mm 50.71" x 7.68"				8 mm	 AC4	20 years		✓		✓ ^{t4}	✓ ^{t4}	✓	✓ ^{t4}	26
		ATLANTIC 7 1288 x 245 mm 50.71" x 9.65" 1288 x 195 mm 50.71" x 7.68"				7 mm	 AC4	20 years		✓				✓		8
LAMINATE FLOORING		SUPER NATURAL 8 1288 x 195 mm 50.71" x 7.68"				8 mm	 AC4	20 years		✓				✓	✓ ^{t4}	12

^{*1} 24h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.kronospan.com/en_EN/100hours-test/, up to 100h no leakage based on ISO 4760:2022-05. This does not apply to Herringbone products.

^{*2} 24h surface water protection as stipulated by NALFA and 48h splash-water protection according to works standard KRONOSPAN WN-103, www.kronospan.com/en_EN/floor-with-more/

^{*3} According to warranty terms; ^{*4} Selected Decors; ^{*5} Class 34, EN 16511; ^{*6} Class 32, EN 14354

Vinyl Flooring

A solid step up

Rocko Technology is an advanced innovation that combines a high-density mineral core (over 70% natural stone powder) with special components to create an ultra-rigid, waterproof, and dimensionally stable material.

It is the perfect waterproof foundation for residential and commercial environments, heavy foot traffic spaces and quick renovations.

DESIGNED TO ENDURE

Remarkably realistic visuals bring the timeless elegance of natural materials into your home.

From contemporary homes to high-traffic commercial spaces, Rocko® flooring is engineered to perform. With superior moisture protection and dimensional stability, our floors are ideal for any room, including kitchens and bathrooms. Easy to install and effortless to maintain, they offer the perfect blend of functionality and elegance.



R238 Dune Allegra Oak, SE

LONG PLANK SILENT




with PerfectPad® IXPE 1 mm

1850 x 295 mm | 72.83" x 11.61"; 6 mm



R244
Blond Newport Oak, SE

new




R236
Seashell Regis Oak, SE

new



R241
Natural Cortona Oak, SE

new



R243
Smoked Luna Walnut, SE

new




K236 Seashell Regis Oak, SE



HERRINGBONE SILENT


with PerfectPad® IXPE 1 mm

635 x 127 mm | 25.00" x 5.00"; 6 mm




K804
Natural Montanara Oak, MR

new




K802
Honey Montanara Oak, MR

new




K805
Gold Highgate Oak, HT

new




K803
Tobacco Montanara Oak, MR

new



K800
Greige Montanara Oak, MR

new



K801
Steel Montanara Oak, MR

new




K803 Tobacco Montanara Oak, MR

WIDE PLANK SILENT



with PerfectPad® IXPE 1 mm

1210 x 234 mm | 47.64" x 9.21" | 6 mm




R248
Pebble Richelieu Oak, MW

new



R245
Ash Newport Oak, SE

new




R235
Honey Regis Oak, SE

new




R240
Pure Cortona Oak, SE

new




R232
Straw Villa Rica Oak, FN

new



R231
Cookie Villa Rica Oak, FN

new



R242
Natural Willamette Hickory, SE

new




R066
Sculpta, HS

1210 x 234 mm | 47.64" x 9.21" | 6 mm



R247
Golden Richelieu Oak, MW

new




R233
Caramel Regis Oak, SE

new



R133
Rosefinch Oak, SO



R239
Ember Cortona Oak, SE

new




R232 Straw Villa Rica Oak, FN


STANDARD PLANK SILENT



with PerfectPad® IXPE 1 mm




R078
Airflow, HS




R251
Sand Mesa Oak, MW

new




R238
Dune Allegra Oak, SE

new



R250
Linen Cortado Oak, MW

new



R081
Crescendo, HS




R237
Raw Stackhouse Oak, SE

new



R234
Harvest Regis Oak, SE

new



R246
Cadenza Walnut, SE

new

1210 x 192 mm | 47.64" x 7.56" | 6 mm



R250 Linen Cortado Oak, MW

Waterproof Wood Flooring

THE FLOOR THAT COMBINES THE BEST

ENVIRONMENTALLY FRIENDLY CORE

organic chemical binders and sustainably sourced wood

ADVANCED WATERPROOF PERFORMANCE

technologically enhanced traditional self-sealing
wood properties

FAST INSTALLATION & EASY CARE

INDIVIDUALITY THROUGH DESIGN

a wide variety of plank formats and thicknesses







ROBUST SURFACE







K854 Sand Ribera Oak, RR



1288 x 245 mm | 50.71" x 9.65"; 13 mm



630 x 126 mm | 24.80" x 4.96"; 9 mm



FLEX SILENT CORK



with PerfectPad® Cork 1 mm

1288 x 189 mm | 50.71" x 7.44" | 7 mm




K500
Pearl River Oak, TN



K503
Pebble Manor Oak, TN




K504
Tuscan Manor Oak, TN



K502
Flax River Oak, TN




K506
Lunar Range Oak, TN



K501
Sand River Oak, TN




K507
Hazel Range Oak, TN




K505
Tobacco Manor Oak, TN


638 x 322 mm | 25.12" x 12.68" | 7 mm



K508
Brooklyn Mist, US



K510
Brooklyn Dark, US



K509
Brooklyn Vibe, US



K500 Pearl River Oak, TN

CLASSIC SILENT CORK



with PerfectPad® Cork 1 mm

1383 x 159 mm | 54.45" x 6.26" | 8.5 mm

O980
Natural Red Oak, HG









O771
Pacific Cherry, HG




O771 Pacific Cherry, HG



O980 Natural Red Oak, HG




1288 x 195 mm | 50.71" x 7.68" | 8 mm




K231
Misty Plains Oak, TO




K669
Rope Ethereal Oak, ET



K406
Eurus Oak, NL



K405
Solar Oak, NL




K230
Golden Vista Oak, TO




5947
Historic Oak, HO

638 x 330 mm | 25.12" x 12.99" | 8 mm




K881
Babylon Slate, AS

new




K035
Crosstown Traffic, AS


1288 x 195 mm | 50.71" x 7.68" | 8 mm



K224
Wild West Oak, NL




K395
Tornado Oak, NL



K479
Espresso Carpenter Oak, CM

638 x 330 mm | 25.12" x 12.99" | 8 mm



K387
Silverado Slate, OS




K669 Rope Ethereal Oak, ET

COMFORT SILENT CORK




with PerfectPad® Cork 1 mm



5953
Chantilly Oak, RO




K453
Biscotti Oak, RO




K329
Buckingham Oak, RO



K224
Wild West Oak, TO



K445
Ethereal Oak, TO



K489
Bourbon Hills Oak, NL




K453 Biscotti Oak, RO




CLEVER SILENT ECO

with PerfectPad® Eco 1 mm



K063
Organic Oak, TO




K452
Ashland Oak, HO




K853
Honey Ribera Oak, RR



K598
Heathland Oak, HO



K327
Hillside Oak, RO



K489
Bourbon Hills Oak, HO



K063 Organic Oak, TO

Moisture Resistant Flooring

MO.RE! CAN STAND UP TO WHAT LIFE BRINGS



K285 Haybridge Oak, HO

mo.re! is based on a specially developed substrate formula. Its new binding agent makes the flooring more durable and decreases swelling - improving resistance to moisture penetration.

A.B.C. ANTIBACTERIAL
COMFORT**

**LONG-LASTING COLOR,
UV PROTECTION**

**WATER
RESISTANT***

**PROTECTION AGAINST
MICRO SCRATCHES**

PVC FREE***

* 24h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, www.kronospan.com/en_EN/floor-with-mo-re/

** Tested germs: Staphylococcus aureus

*** May contain traces of PVC, e.g. from packaging




1383 x 244 mm | 54.45" x 9.61" | 8.5 mm



O273
Oak Bradford, LU



O462
Oak Schönbrunn, LU




O352
Oak Roast, LU




O273 Oak Bradford, LU




2003 x 245 mm | 78.86" x 9.65" | 12 mm




K659
Blonde Montreux Oak, MX



K657
Honey Montreux Oak, MX



K326
Sundace Oak, RO



K662
Sepia Tegernsee Oak, TG



K664
Hare Tegernsee Oak, TG








K851
Ferry Oak, MW

new




K326 Sundace Oak, RO






K667
Alpaca Ethereal Oak, ET



K854
Sand Ribera Oak, RR

new



K669
Rope Ethereal Oak, ET




K853
Honey Ribera Oak, RR

new



K852
Vintage Ribera Oak, RR


new



K665
Copper Ethereal Oak, ET



K478
Mushroom Carpenter Oak, CM



5947
Historic Oak, HO




5537
Tawny Chestnut, RC




K476
Inca Carpenter Oak, CM




8155
Appalachian Hickory, VH



8156
Red River Hickory, VH



K413
Blackwater Oak, OE



K479
Espresso Carpenter Oak, CM




K852 Vintage Ribera Oak, RR

1288 x 195 mm | 50.71" x 7.68"; 10 mm


1288 x 195 mm | 50.71" x 7.68"; 10 mm



630 x 126 mm | 24.80" x 4.96" | 8 mm




K023
Venato, SU




K844
Cream Darcy Oak, DY

new




K847
Blonde Montanara Oak, MR

new




K843
Natural Darcy Oak, DY

new



K326
Sundance Oak, RO




K850
Smoked Montanara Oak, MR

new




K023 Venato, SU

630 x 126 mm | 24.80" x 4.96" | 8 mm




K848
Aged Montanara Oak, MR


new



5947
Historic Oak, HO



K488
Rutherford Oak, CM



K849
Dark Montanara Oak, MR


new



K326 Sundance Oak, RO




2003 x 245 mm | 78.86" x 9.65" 8 mm




K844
Cream Darcy Oak, DY

new




K843
Natural Darcy Oak, DY

new




K848
Aged Montanara Oak, MR

new




K847
Blonde Montanara Oak, MR

new



K850
Smoked Montanara Oak, MR

new



K849
Dark Montanara Oak, MR


new




K847 Blonde Montanara Oak, MR



1288 x 195 mm | 50.71" x 7.68" 8 mm




K640
Cotton Greenvale Oak, MW




K847
Blonde Montanara Oak, MR

new



K453
Biscotti Oak, HO




K653
Ecrú Cantal Oak, MW



K844
Cream Darcy Oak, DY

new















K469
Tortilla Cashmere Oak, NL



K326
Sundance Oak, RO



K451
Silverdale Oak, HO







638 x 330 mm | 25.12" x 12.99" | 8 mm




K538
Dovetail Arosa, AS



K539
Fossil Arosa, AS



K540
Grey Albus, AS



K388
Pewter Slate, OS




K539 Fossil Arosa, AS



1288 x 195 mm | 50.71" x 7.68" | 7 mm




K652
Cashew Montreux Oak, MW




K629
Gold Fiordaliso Oak, MW




K654
Sand Cantal Oak, MW



K638
Wheat Cornforth Oak, MW




K647
Clay Sola Oak, MW




K650
Grizzly Montreux Oak, MW

1288 x 245 mm | 50.71" x 9.65" | 7 mm



K649
Sienna Montreux Oak, MW



K655
Dove Cantal Oak, MW



Laminate Flooring

with
Optimized Wood
Fiber Technology

FAVOURITE FOR EVERYDAY LIVING



Time on Your Side:
Up to 8 hours of protection against standing water.

**AUTHENTIC LOOK
AND FEEL**

**LIGHT
RESISTANT**

**DIY-FRIENDLY
INSTALLATION**

**HYGIENIC* AND
EASY-TO-CLEAN SURFACE**

* Tested germs: Staphylococcus aureus







**UTILIZATION
CLASS 32**






K625 Wheat Pistachio Oak, MW

SUPER NATURAL 8

1288 x 195 mm | 50.71" x 7.68" | 8 mm



1288 x 195 mm | 50.71" x 7.68" | 8 mm





WALLS

YOUR SPACE, YOUR SOUND, PERFECTED

Creative Freedom

Acoustic panels allow you to quickly and effectively create elevated contemporary interior spaces.

Exclusive Design

An exclusive appearance, produced with a focus on aesthetics and elegance.



2600 x 600 mm | 102.36" x 23.62"; 17 mm



WALLS WORTH SHOWING OFF


When it comes to adding style and character to your spaces, our 3D wall panels are the easy choice to make. Their smart mounting system ensures quick, precise, and hassle-free installation. Each panel is 12 mm thick with a durable, easy-to-clean and maintain surface for long-lasting beauty.



K284 Breeze Oak, RO



8630
Aspen Oak, LP



K284
Breeze Oak, RO



K326
Sundance Oak, RO

1296 x 132 mm | 51.02" x 5.20" | 12 mm

EASY STYLE FOR EVERY WALL

**Fast and easy
installation due to
the click connection**

**Variable longitudinal
joint design**

**Suitable for
humid areas**



9002 White Uni

9002
White Uni

9077
Edelweiss Pore

9060
Pear White

9067
Light Grey Oak

**Perfect connection
with self-locking
tongue & groove
profile on the
short side**

Krono
Original

High Quality

Made by Kronospan

kronospan

www.kronospan.com

www.krono-original.com

