

®

# Krono Original

---

Made by Kronospan



# FLOORS WALLS

# WALLS AND FLOORS YOU CAN TRUST

Driven by innovation,  
built for comfort,  
delivered with style.

Wood processing has been our passion for over 125 years. It's what Kronospan knows and does best. We understand that every space needs a solid foundation to thrive on. This is the essence of KronoOriginal - a brand dedicated to delivering high-quality floor and wall solutions for everyday comfort.





**AT THE HEART OF  
OUR MISSION IS A  
COMMITMENT TO:**

**SUSTAINABLE  
PRODUCTION PRACTICES**

**NEXT-GENERATION  
WATER PROTECTION**

**TREND-SETTING  
DESIGN INNOVATIONS**

**QUICK AND INTUITIVE  
INSTALLATION SYSTEMS**

**WORLDWIDE AVAILABILITY  
FOR FAST DELIVERY**

# WATER PROTECTION AT ITS BEST

Fast-paced life requires  
high-performance flooring.  
For us, water protection  
comes first.

K507

Water is everywhere around us. But when it comes to your home, it shouldn't be a threat. That's why we have dedicated our efforts to developing and perfecting the protection systems of our flooring. Designed to handle life's little spills... and the big ones, too. Our water protection technologies are built for life. Because life happens, and your floor should be ready for it.

**ROCKO**  
VINYL FLOORING

**O.R.C.A.**  
WATERPROOF FLOORING

**MO.RE!**  
WATER RESISTANT FLOORING

# AUTHENTIC LOOK & FEEL OF NATURE

Our deeply rooted connection with nature inspires us to seek it everywhere around us.

This never-ending quest is the driving force behind our creative process.

K665

The beauty of nature reveals itself in the distinct authenticity of its imperfections. Our passion is to capture and recreate these unique visual qualities in each of our designs, bringing warmth and comfort into every home.

Thanks to our advanced digital printing and synchronized embossing surface technologies, we are able to achieve an impressive level of realism and create floors that not only look good, but also make you feel good.

As part of our Perfect Plank designs, we've introduced a new generation of Herringbone floors with up to 120 unique planks with no design repetition for an added level of realism.

- Herringbone with up to 120 unique planks (10 m<sup>2</sup> | 108 ft<sup>2</sup>)
- Long planks with up to 16 unique panels (8 m<sup>2</sup> | 86 ft<sup>2</sup>)
- Wide planks with up to 32 unique planks (10 m<sup>2</sup> | 108 ft<sup>2</sup>)
- Standard planks with up to 40 unique digitally printed panels (10 m<sup>2</sup> | 108 ft<sup>2</sup>)

Look for these symbols to find the rest of our Authentic Embossed and Perfect Plank decors.



Authentic  
Embossed

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



Perfect  
Plank

An innovative technology of digitally printed planks with low pattern repeat.



## Multi Room Concept

# ONE DESIGN. MULTIPLE FLOORING FORMATS.

The Interior is not defined by four walls alone. It's shaped by the quiet details that surround you every day. That's why we design surfaces that don't just meet functional needs, but also support the rhythm of your life. Our floors and panels are the calm backdrop to your story, connecting rooms, moods, and moments.

With our Multi Room Concept, your favourite decor becomes the foundation of your entire home. One design, multiple flooring formats, because no two rooms live the same life.

Choose the timeless charm of Herringbone for living areas, evoking classic elegance with a modern twist. Extend the story into open, spacious interiors with long-format planks that enhance volume and flow. For bathrooms, kitchens, or utility areas, make seamless transitions with the same matching decor, ensuring performance and beauty without compromise.

Look for this symbol to find our Multi Room Concept decors.




Design available in different plank formats for every space - long plank, herringbone or standard / wide plank


### O.R.C.A.

WATERPROOF FLOORING  
- Herringbone, Wide Plank and Long Plank

### MO.RE!

WATER RESISTANT FLOORING  
- Herringbone, Standard Plank and Long Plank





## Multi Room Concept

**EVERY SPACE BECOMES YOU**



**K843** Natural Darcy Oak, DY

Design freedom starts here - mix & match effortlessly  
Standard / Wide, Long and Herringbone planks for a unified  
and elegant spatial layout.



# OUR PERFECTPADS



**Built-in pad for comfort,  
sound insulation, and easy installation**


## PerfectPad® IXPE

Durable, quiet, waterproof



## PerfectPad® ECO

Sustainable, eco-friendly



## PerfectPad® CORK

Natural warmth, sound-absorbing



<b>KEY VALUES</b>	02
<b>FLOORING</b>	18
PRODUCT & DECOR OVERVIEW	20


<b>ROCKO VINYL FLOORING</b>	24	<b>MO.RE! WATER RESISTANT FLOORING</b>	96
LONG PLANK SILENT	30	REAL WOOD	98
HERRINGBONE SILENT	34	LONG PLANK 12	102
WIDE PLANK SILENT	38	ATLANTIC 12	106
STANDARD PLANK SILENT	44	ATLANTIC 10	110
		HERRINGBONE 8	116
<b>O.R.C.A. WATERPROOF FLOORING</b>	48	LONG PLANK 8	122
DURASTAR SILENT CORK	54	ATLANTIC 8	126
FLEX SILENT CORK	66	ATLANTIC 7	138
CLASSIC SILENT ECO/CORK	76		
CLASSIC	82	<b>LAMINATE FLOORING</b>	144
COMFORT SILENT CORK	88	SUPER NATURAL 8	146
CLEVER SILENT ECO	92		




<b>WALL PANELS</b>	152
ACOUSTIC PANLES	154
3D WALL PANELS	158
WALL & CEILING PANELS	162
<b>ACCESSORIES</b>	168
<b>PACKAGING INFORMATION</b>	174
<b>FEATURES</b>	176




**ROCKO**  
VINYL FLOORING



**O.R.C.A.**  
WATERPROOF FLOORING



**MO.RE!**  
WATER RESISTANT FLOORING



**LAMINATE**  
FLOORING



**WALL**  
PANELS

# FLOORS

**K847** Blonde Montanara Oak, MR

# Product Overview

Collection	Water Protection (Coreboard)	Thickness/Pad	Durability	Warranty <sup>*3</sup>	Microscratch	Petproof	PerfectPad <sup>®</sup>	Perfect Plank	Multi Room Concept	Bevel	Authentic Embossed	SKU	
ROCKO VINYL FLOORING	LONG PLANK SILENT 1850 x 295 mm   72.83" x 11.61"	4 water drops  <b>ROCKO</b> TECHNOLOGY	6 mm incl. 1 mm PerfectPad <sup>®</sup> IXPE	 Titanium Ultra <sup>*5</sup>	30 years	✓	✓	✓	✓	✓	✓	4	
	HERRINGBONE SILENT 635 x 127 mm   25.00" x 5.00"	4 water drops  <b>ROCKO</b> TECHNOLOGY	6 mm incl. 1 mm PerfectPad <sup>®</sup> IXPE	 Titanium Ultra <sup>*5</sup>	30 years	✓	✓	✓	✓	Micro Bevel	✓	6	
	WIDE PLANK SILENT 1210 x 234 mm   47.64" x 9.21"	4 water drops  <b>ROCKO</b> TECHNOLOGY	6 mm incl. 1 mm PerfectPad <sup>®</sup> IXPE	 Titanium Ultra <sup>*5</sup>	30 years	✓	✓	✓	✓ <sup>*4</sup>	✓	✓ <sup>*4</sup>	12	
	STANDARD PLANK SILENT 1210 x 192 mm   47.64" x 7.56"	4 water drops  <b>ROCKO</b> TECHNOLOGY	6 mm incl. 1 mm PerfectPad <sup>®</sup> IXPE	 Titanium Ultra <sup>*5</sup>	30 years	✓	✓	✓	✓ <sup>*4</sup>	✓	✓ <sup>*4</sup>	8	
O.R.C.A. WATERPROOF FLOORING	DURASTAR SILENT CORK 630 x 126 mm   24.80" x 4.96" 1288 x 245 mm   50.71" x 9.65" 2003 x 245 mm   78.86" x 9.65"	4 water drops  <b>OR.C.A.</b> WATER DEFENSE TECHNOLOGY	9 mm   13 mm incl. 1 mm PerfectPad <sup>®</sup> Cork	 AC6	Lifetime	✓	✓	✓	✓ <sup>*4</sup>	✓ <sup>*4</sup>	✓	✓	16
	FLEX SILENT CORK 638 x 322 mm   25.12" x 12.68" 1288 x 189 mm   50.71" x 7.44"	4 water drops  <b>OR.C.A.</b> WATER DEFENSE TECHNOLOGY	7 mm incl. 1 mm PerfectPad <sup>®</sup> Cork	 Titanium Ultra <sup>*5</sup>	30 years	✓	✓	✓		✓			11
	CLASSIC SILENT ECO/CORK 1286 x 192 mm   50.63" x 7.56" ECO 1288 x 195 mm   50.71" x 7.68" ECO 1383 x 159 mm   54.45" x 6.26" Cork	4 water drops  <b>OR.C.A.</b> WATER DEFENSE TECHNOLOGY	8.5 mm   9 mm incl. 1 mm PerfectPad <sup>®</sup> ECO incl. 1 mm PerfectPad <sup>®</sup> Cork	 AC5	30 years	✓	✓	✓	✓ <sup>*4</sup>		✓ Pressed Bevel Soft Bevel	✓ <sup>*4</sup>	12
	CLASSIC 638 x 330mm   25.12" x 12.99" 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>OR.C.A.</b> WATER DEFENSE TECHNOLOGY	8 mm	 AC5	30 years	✓	✓		✓ <sup>*4</sup>	✓	✓ <sup>*4</sup>	13	
	COMFORT SILENT CORK 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>OR.C.A.</b> WATER DEFENSE TECHNOLOGY	8 mm incl. 1 mm PerfectPad <sup>®</sup> Cork	 AC5	20 years	✓	✓	✓		✓			6
	CLEVER SILENT ECO 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>OR.C.A.</b> WATER DEFENSE TECHNOLOGY	7 mm incl. 1 mm PerfectPad <sup>®</sup> ECO	 AC5	20 years	✓	✓	✓		✓	✓		6
	REAL WOOD 1383 x 244 mm   54.45" x 9.61"	4 water drops  <b>m.re!</b> moisture resistance technology	8.5 mm	 Titanium Ultra <sup>*6</sup>	20 years		✓				Soft Bevel		3
MO.RE! WATER RESISTANT FLOORING	LONG PLANK 12 2003 x 245 mm   78.86" x 9.65"	4 water drops  <b>m.re!</b> moisture resistance technology	12 mm	 AC5	30 years	✓	✓		✓ <sup>*4</sup>	✓	✓ <sup>*4</sup>		6
	ATLANTIC 12 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>m.re!</b> moisture resistance technology	12 mm	 AC5	30 years	✓	✓		✓ <sup>*4</sup>	✓	✓		6
	ATLANTIC 10 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>m.re!</b> moisture resistance technology	10 mm	 AC5	30 years	✓	✓		✓ <sup>*4</sup>	✓	✓		14
	HERRINGBONE 8 630 x 126 mm   24.80" x 4.96"	4 water drops  <b>m.re!</b> moisture resistance technology	8 mm	 AC5	20 years	✓	✓		✓ <sup>*4</sup>	✓	✓ <sup>*4</sup>		10
	LONG PLANK 8 2003 x 245 mm   78.86" x 9.65"	4 water drops  <b>m.re!</b> moisture resistance technology	8 mm	 AC4	20 years		✓		✓	✓	✓	✓ <sup>*4</sup>	6
	ATLANTIC 8 638 x 330 mm   25.12" x 12.99" 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>m.re!</b> moisture resistance technology	8 mm	 AC4	20 years		✓		✓ <sup>*4</sup>	✓ <sup>*4</sup>	✓	✓ <sup>*4</sup>	26
	ATLANTIC 7 1288 x 245 mm   50.71" x 9.65" 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>m.re!</b> moisture resistance technology	7 mm	 AC4	20 years		✓		✓		✓		8
LAMINATE FLOORING	SUPER NATURAL 8 1288 x 195 mm   50.71" x 7.68"	4 water drops  <b>OPTI</b> WOOD TECHNOLOGY	8 mm	 AC4	20 years		✓				✓	✓ <sup>*4</sup>	12

185 SKU

# Global Range Decor Overview

Collection	Decors
ROCKO VINYL FLOORING	LONG PLANK SILENT R236 NEW R241 NEW R244 NEW R243 NEW
	HERRINGBONE SILENT K804 NEW K802 NEW K805 NEW K800 NEW K803 NEW K801 NEW
	WIDE PLANK SILENT R248 NEW R245 NEW R235 NEW R232 NEW R242 NEW R066 NEW R240 NEW R231 NEW R247 NEW R233 NEW R133 NEW R239 NEW
	STANDARD PLANK SILENT R078 NEW R250 NEW R251 NEW R238 NEW R237 NEW R081 NEW R234 NEW R246 NEW
O.R.C.A. WATERPROOF FLOORING	DURASTAR SILENT CORK K844 NEW K854 NEW K847 NEW K852 NEW K853 NEW K843 NEW K850 NEW K849 NEW
	FLEX SILENT CORK K500 K503 K506 K501 K507 K504 K502 K505 K508 K509 K510
	CLASSIC SILENT ECO / CORK K668 K406 K2971 NEW K2907 NEW K665 K230 K405 K224 K2909 NEW 5947 NEW O980 O771
	CLASSIC K231 K669 K406 K405 K230 K224 5947 K479 K395 K881 K035 K387
	COMFORT SILENT CORK 5953 K453 K329 K224 K489 K445
	CLEVER SILENT ECO K063 K452 K853 NEW K598 K327 K489
	REAL WOOD O273 O462 O352
REAL WOOD FLOORING	LONG PLANK 12 K659 K657 K326 K662 K664 K851 NEW
	ATLANTIC 12 K845 NEW K843 NEW K726 K285 K476 K287
	ATLANTIC 10 K413 K665 K667 K669 K478 K852 NEW K854 NEW K853 K476 5947 5537 8155
	HERRINGBONE 8 K844 NEW K847 NEW K326 NEW K843 NEW K850 NEW 5947 NEW K848 NEW K488 K849 NEW K023
	LONG PLANK 8 K844 NEW K847 NEW K843 NEW K850 NEW K848 NEW K849 NEW
	ATLANTIC 8 K640 K451 K653 K469 K453 K326 K856 K2737 K844 K847 K843 K788
	ATLANTIC 7 K655 K652 K629 K654 K638 K649 K647 K650
	SUPER NATURAL K418 5946 5966 K057 K625 K419 5985 K338 8573 8575 K468 K635
*1 24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.kronospan.com/en_EN/100hours-test/, up to 100 h no leakage based on ISO 4760:2022-05. This does not apply to Herringbone products. *2 24 h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, www.kronospan.com/en_EN/floor-with-more/ *3 According to warranty terms *4 Selected Decors *5 Class 34, EN 16511 *6 Class 32, EN 14354	

## Vinyl Flooring

A solid step up


Rocko Technology is an advanced innovation that combines a high-density mineral core (over 70% natural stone powder) with special components to create an ultra-rigid, waterproof, and dimensionally stable material.

It is the perfect waterproof foundation for residential and commercial environments, heavy foot traffic spaces and quick renovations.

## DESIGNED TO ENDURE

Remarkably realistic visuals bring the timeless elegance of natural materials into your home.

From contemporary homes to high-traffic commercial spaces, Rocko® flooring is engineered to perform. With superior moisture protection and dimensional stability, our floors are ideal for any room, including kitchens and bathrooms. Easy to install and effortless to maintain, they offer the perfect blend of functionality and elegance.



**R238** Dune Allegra Oak, SE

# SENSOTOUCH

**Embossed-in-  
Register Vinyl**

**SYNCHRONIZED  
TO PERFECTION**

Our pioneering Embossed-in-Register vinyl flooring is where beauty and performance move in perfect harmony.


Engineered for ultimate rigidity and durability, our SPC core delivers exceptional stability underfoot, ensuring your floors stand the test of time in even the busiest spaces.

Every detail is captured to perfection thanks to the Embossed-in-Register texture that seamlessly follows the grain of the wood.

The result? A look and feel that's stunningly realistic.

This symbol highlights all SensoTouch decors

**SENSOTOUCH**



**R246** Cadenza Walnut, SE




R242 Natural Willamette Hickory, SE

## Appearance of natural wood

Rocko Flooring designs are digitally printed, reflecting the smallest detail and the rich grain of wood.



Waterproof and suitable for bathrooms, kitchens, hallways, and public spaces



Rigid Vinyl core for improved strength and 1click 2go Pure installation



Stable under temperature changes, ideal for heated floors or sunny rooms



R244 Blond Newport Oak, SE

## Ensured stability

Rocko Flooring range is set apart from other types of vinyl flooring by its unique resilient core, which provides an incredibly stable base for each flooring plank and ensures dimensional stability, even with high temperature fluctuations.



Designs that match your style and ideas




Low-maintenance and easy to clean



Perfect for renovation thanks to reduced subfloor preparation needs

## LONG PLANK SILENT

with PerfectPad® IXPE 1 mm



Format:  
**1850 x 295 mm** | 72.83" x 11.61"

Thickness:  
**6 mm**

Lock:  
**1clic 2go pure**

**ROCKO**  
TECHNOLOGY



**K236** Seashell Regis Oak, SE

**R236**

Seashell Regis Oak, SE

**SENSOTOUCH**

new

**R241**

Natural Cortona Oak, SE

**SENSOTOUCH**

new

**R244**

Blond Newport Oak, SE

**SENSOTOUCH**

new

## LONG PLANK SILENT

with PerfectPad® IXPE 1 mm



**SENSOTOUCH**




R243 Smoked Luna Walnut, SE

Format:  
**1850 x 295 mm** | 72.83" x 11.61"

Thickness:  
**6 mm**

## HERRINGBONE SILENT

with PerfectPad® IXPE 1 mm



Format:  
**635 x 127 mm** | 25.00" x 5.00"


Thickness:  
**6 mm**

Lock:  
**Fold Down**


**ROCKO**  
TECHNOLOGY




**K805** Gold Highgate Oak, HT



**K804**  
Natural Montanara Oak, MR



**K802**  
Honey Montanara Oak, MR



**K805**  
Gold Highgate Oak, HT

## HERRINGBONE SILENT

with PerfectPad® IXPE 1 mm



new


**K800**  
Greige Montanara Oak, MR



**K803**  
Tobacco Montanara Oak, MR



**K801**  
Steel Montanara Oak, MR



**K803** Tobacco Montanara Oak, MR



Format:  
**635 x 127 mm** | 25.00" x 5.00"

Thickness:  
**6 mm**

## WIDE PLANK SILENT

with PerfectPad® IXPE 1 mm



Format:  
**1210 x 234 mm** | 47.64" x 9.21"

Thickness:  
**6 mm**  
Lock:  
**1clic 2go pure**

**ROCKO**  
TECHNOLOGY


\* selected decors



**R248** Pebble Richelieu Oak, MW



**R248**  
Pebble Richelieu Oak, MW



**R245**  
Ash Newport Oak, SE

**SENSOTOUCH**




**R235**  
Honey Regis Oak, SE

**SENSOTOUCH**

## WIDE PLANK SILENT

with PerfectPad® IXPE 1 mm



**R232**  
Straw Villa Rica Oak, FN



**SENSOTOUCH**



**R066**  
Sculpta, HS



**R232** Straw Villa Rica Oak, FN


Format:  
**1210 x 234 mm** | 47.64" x 9.21"

Thickness:  
**6 mm**




**R240**  
Pure Cortona Oak, SE

**SENSOTOUCH**



**R231**  
Cookie Villa Rica Oak, FN



**R247**  
Golden Richelieu Oak, MW

## WIDE PLANK SILENT

with PerfectPad® IXPE 1 mm



**R233**

Caramel Regis Oak, SE

new



### SENSOTOUCH

**R133**


Rosefinch Oak, SO



**R239**

Ember Cortona Oak, SE

new



### SENSOTOUCH



**R233** Caramel Regis Oak, SE

Format:

**1210 x 234 mm** | 47.64" x 9.21"

Thickness:  
**6 mm**



## STANDARD PLANK SILENT

with PerfectPad® IXPE 1 mm




Format:  
**1210 x 192 mm** | 47.64" x 7.56"

Thickness:  
**6 mm**  
Lock:  
**1clic 2go pure**

**ROCKO**  
TECHNOLOGY

\* selected decors




**R250** Linen Cortado Oak, MW



**R078**  
Airflow, HS



**R250**  
Linen Cortado Oak, MW



**R251**  
Sand Mesa Oak, MW

## STANDARD PLANK SILENT


with PerfectPad® IXPE 1 mm



**R238**

Dune Allegra Oak, SE

new



**SENSOTOUCH**

**R237**

Raw Stackhouse Oak, SE


new



**SENSOTOUCH**

**R081**

Crescendo, HS



Format:


**1210 x 192 mm** | 47.64" x 7.56"

Thickness:  
**6 mm**

**R234**

Harvest Regis Oak, SE

new




**SENSOTOUCH**

**R246**

Cadenza Walnut, SE

new



**SENSOTOUCH**



**K234** Harvest Regis Oak, SE




## Waterproof Wood Flooring

**THE FLOOR  
THAT COMBINES  
THE BEST**

### ENVIRONMENTALLY FRIENDLY CORE

organic chemical binders and sustainably sourced wood



K854 Sand Ribera Oak, RR

### ADVANCED WATERPROOF PERFORMANCE

technologically enhanced traditional self-sealing  
wood properties

### FAST INSTALLATION & EASY CARE

### INDIVIDUALITY THROUGH DESIGN

a wide variety of plank formats and thicknesses

### ROBUST SURFACE

# Waterproof Wood-Based Flooring

O.R.C.A. (Organic<sup>®</sup>1 Rigid Coreboard Abrasion-proof Flooring) brings together the natural beauty of wood with advanced waterproofing performance.

It is made exclusively from timber sourced in sustainably managed forests. Free from PVC<sup>3</sup> and made with organic chemical binders. Our floors store biogenic CO<sub>2</sub> during their lifetime.

Inspired by traditional wooden barrels and boats, O.R.C.A. flooring uses wood's natural self-sealing properties to resist moisture for up to 100 hours<sup>2</sup>. This quality makes it suitable for bathrooms, hallways, kitchens, and even high-traffic public spaces.

Each one of its wood fibers is individually encapsulated in a special moisture-repellent binder, reducing water absorption and ensuring long-lasting dimensional stability.

O.R.C.A.<sup>®</sup> comes in a variety of formats, thicknesses, and plank sizes, offering total design freedom while meeting the technical needs of each space.

Life Happens. O.R.C.A. Stays.

Don't let a spill ruin your day or your floor.

Equipped with the revolutionary O.R.C.A. Moisture Defense Technology, our flooring is engineered to handle life's little accidents with ease.

Whether it's a major mishap with 100 hours of full water load protection or the daily challenges of a busy home, tested for 1 hour of water exposure every single day for 100 days, O.R.C.A. stands resilient. Combining the beauty of organic materials with the endurance of a waterproof surface, it's the ultimate worry-free solution for your kitchen, bathroom, and beyond.



## THE FLOOR THAT'S NOT AFRAID OF WATER

100h+ splash-water protection guaranteed<sup>\*2</sup>

Little accidents occur almost daily.

Our O.R.C.A. floors can withstand them.




\*1 Consists of natural wood and an organic chemical binder

\*2 24h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100h+ surface water protection according to works standard specification KRONOSPAN WN-101, [www.kronospan.com/en\\_EN/100hours-test/](http://www.kronospan.com/en_EN/100hours-test/), up to 100h no leakage based on ISO 4760:2022-05

\*3 May contain traces of PVC, e.g. from packaging

## DURASTAR SILENT CORK

UNMATCHED  
DURABILITY.  
STAR-LIKE  
PERFORMANCE.



DURASTAR SILENT CORK brings together the very best of Kronospan's innovations and craftsmanship. Featuring nature-inspired decors, realistic tactile textures, and our most advanced waterproof technology O.R.C.A. The collection achieves the highest utilization class AC6.

Walk on floors built with style for comfort and durability that you can trust in the moments that matter the most.

AC6  
\*\*\*\*\*

## DURASTAR SILENT CORK

with PerfectPad® Cork 1 mm



Format:  
**1288 x 245 mm** | 50.71" x 9.65"

Thickness:  
**13 mm**

Lock:  
**1clic 2go pure+**

**O.R.C.A.**  
WATER DEFENSE TECHNOLOGY

\* selected decors



**K844** Cream Darcy Oak, DY



new

**K844**


Cream Darcy Oak, DY



new

**K854**

Sand Ribera Oak, RR



new

**K852**

Vintage Ribera Oak, RR



## DURASTAR SILENT CORK

with PerfectPad® Cork 1 mm



Format:  
**1288 x 245 mm** | 50.71" x 9.65"

Thickness:  
**13 mm**



**K853** Honey Ribera Oak, RR

# DURASTAR SILENT CORK

with **PerfectPad®** Cork 1 mm



Format:  
**630 x 126 mm** | 24.80“ x 4.96“




Thickness:  
**9 mm**

Lock:  
**Fold Down**



**K847** Blonde Montanara Oak, MR

# Eden Café



## DURASTAR SILENT CORK


with PerfectPad® Cork 1 mm



**K849**

Dark Montanara Oak, MR

new



**K849** Dark Montanara Oak, MR



Format:  
**630 x 126 mm** | 24.80" x 4.96"

Thickness:  
**9 mm**



## DURASTAR SILENT CORK

with **PerfectPad®** Cork 1 mm



✓ waterproof




**K847** Blonde Montanara Oak, MR

Formats:



**1288 x 245 mm** | 50.71" x 9.65"  
**2003 x 245 mm** | 78.86" x 9.65"

Thickness: 9 mm Lock: 1clic 2go pure+



Format:  
**1288 x 245 mm** | 50.71" x 9.65"  
**2000 x 245 mm** | 78.86" x 9.65"

Thickness:  
**9 mm**



## DURASTAR SILENT CORK


with PerfectPad® Cork 1 mm



**K849**

Dark Montanara Oak, MR

new



**K849** Dark Montanara Oak, MR

Format:  
1288 x 245 mm | 50.71" x 9.65"  
2000 x 245 mm | 78.86" x 9.65"

Thickness:  
**9 mm**





## FLEX SILENT CORK Wood n' vinyl

THE WARMTH  
OF WOOD.  
THE STRENGTH  
OF VINYL.

This next generation of flooring takes innovation a step further – our sustainable wood-based O.R.C.A. core delivers advanced water protection, while a resilient vinyl surface ensures complete waterproof strength.

Engineered for everyday living, it offers a cork underlay for whisper-quiet steps and extra thermal insulation, a scratch resistant surface for effortless maintenance, and a 7 mm plank thickness for seamless installation without undercutting the door jamb.

K509

K502



## FLEX SILENT CORK

with PerfectPad® Cork 1 mm



Formats:  
**638 x 322 mm** | 25.12" x 12.68"  
**1288 x 189 mm** | 50.71" x 7.44"

Thickness:  
**7 mm**

Lock:  
**1clic 2go pure+**

**O.R.C.A.**  
WATER DEFENSE TECHNOLOGY



**K500** Pearl River Oak, TN

Format:  
**1288 x 189 mm** | 50.71" x 7.44"

Thickness:  
**7 mm**



**K500**  
Pearl River Oak, TN



**K506**  
Lunar Range Oak, TN



## FLEX SILENT CORK



with PerfectPad® Cork 1 mm




**K501**

Sand River Oak, TN



**K507**

Hazel Range Oak, TN



**K504**

Tuscan Manor Oak, TN



Format:

**1288 x 189 mm** | 50.71" x 7.44"

Thickness:  
**7 mm**



**K502**

Flax River Oak, TN



**K505**

Tobacco Manor Oak, TN



**K501** Sand River Oak, TN



## FLEX SILENT CORK

with PerfectPad® Cork 1 mm



K509 Brooklyn Vibe, US



Format:  
**638 x 322 mm** | 25.12" x 12.68"  
Thickness:  
**7 mm**

## CLASSIC SILENT CORK




with **PerfectPad®** Cork 1 mm




Format:  
**1383 x 159 mm** | 54.45" x 6.26"

Thickness: **8.5 mm** Lock: **Angle Tap**



**O980**  
Natural Red Oak, HG



**0771**  
Pacific Cherry. HG



**O980** Natural Red Oak, HG

## CLASSIC SILENT ECO

with **PerfectPad®** Eco 1 mm



**CLASSIC SILENT ECO**

with PerfectPad® Eco 1 mm

**waterproof**

Formats:

**1286 x 192 mm** | 50.63" x 7.56"  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness: **8.5 | 9 mm**

Lock: **Angle Tap**  
**1clic 2go pure+**

**ORCA®**  
WATER DEFENSE TECHNOLOGY  
\* selected decors

EN 13329

23 33 AC5 30 YEARS 4 \* 5 \* 6 \* 7 \*

8 \* 9 \* 10 \* 11 \*

12 \* 13 \* 14 \*

15 \* 16 \* 17 \*

18 \* 19 \* 20 \*

21 \* 22 \*

K406 Eurus Oak, NL

Formats:  
**1286 x 192 mm** | 50.63" x 7.56"  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness  
**8.5 | 9 mm**

Lock:  
**Angle**

ap  
o pure+




## K406 Eurus Oak, NL

Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**9 mm**

**K668**  
Mist Ethereal Oak, ET




## CLASSIC SILENT ECO


with PerfectPad® Eco 1 mm




**K230**  
Golden Vista Oak, TO



**5947**  
Historic Oak, HO



**K224**  
Wild West Oak, NL



Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**9 mm**

**K665**

Copper Ethereal Oak, ET

## CLASSIC SILENT ECO

with PerfectPad® Eco 1 mm



**K2907**

Palermo Sarocco Oak, SC

new



**K2971**

Avola Sarocco Oak, SC

new



**K2909**

Trapani Sarocco Oak, SC

new



**K2971** Avola Sarocco Oak, SC



Format:  
**1286 x 192 mm** | 50.63" x 7.56"

Thickness:  
**8.5 mm**

# CLASSIC



Formats:  
**638 x 330 mm** | 25.12" x 12.99"  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness: **8 mm**  
Lock: **1clic 2go pure+**

**ORCA**<sup>®</sup>  
WATER DEFENSE TECHNOLOGY

\* selected decors




**K669** Rope Ethereal Oak, ET

Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**8 mm**



**K231**  
Misty Plains Oak, TO



**K669**  
Rope Ethereal Oak, ET




**K406**  
Eurus Oak, NL




## CLASSIC



**K405**  
Solar Oak, NL



**K230**  
Golden Vista Oak, TO



**5947**  
Historic Oak, HO



Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**8 mm**



**K224**  
Wild West Oak, NL



**K395**  
Tornado Oak, NL



**K479**  
Espresso Carpenter Oak, CM



## CLASSIC



**K881**  
Babylon Slate, AS

new



**K035**  
Crosstown Traffic, AS



**K387**  
Silverado Slate, OS



Format:  
**638 x 330 mm** | 25.12" x 12.99"

Thickness:  
**8 mm**



**K389**  
Nightfall Slate, OS



**K035** Crosstown Traffic, AS



## COMFORT SILENT CORK



with PerfectPad® Cork 1 mm

**K224**

Wild West Oak, TO



**K329**

Buckingham Oak, RO



**K489**

Bourbon Hills Oak, NL



**K224** Wild West Oak, TO

Format:  
**1288 x 195 mm** | 50.71" x 7.44"

Thickness:  
**8 mm**



## CLEVER SILENT ECO

with **PerfectPad®** Eco 1 mm





A modern bedroom with a minimalist design. The room features a large bed with white linens and a textured, golden-yellow blanket. The walls are a light beige color, and the room is accented by two large, round, pendant lights hanging from the ceiling. On the left, a dark wooden side table holds a vase with dried flowers and a small framed mirror. On the right, another dark wooden side table holds a candle in a holder. The floor is made of light-colored wood planks.


Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**7 mm**


Lock:  
**1clic 2go pure+**



**K063**  
Organic Oak, TO



**K452**  
Ashland Oak, HO



**K853**  
Honey Ribera Oak, RR



## CLEVER SILENT ECO

with PerfectPad® Eco 1 mm



**K598**

Heathland Oak, HO



**K327**

Hillside Oak, RO



**K489**

Bourbon Hills Oak, HO



Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**7 mm**



**K489** Bourbon Hills Oak, HO

## Moisture Resistant Flooring

**MO.RE! CAN  
STAND UP TO  
WHAT LIFE  
BRINGS**



mo.re! is based on a specially developed substrate formula. Its new binding agent makes the flooring more durable and decreases swelling - improving resistance to moisture penetration.

**A.B.C. ANTIBACTERIAL\*\*  
COMFORT**

**LONG-LASTING COLOR,  
UV PROTECTION**

**WATER  
RESISTANT\***

**PROTECTION AGAINST  
MICRO SCRATCHES**

**PVC FREE\*\*\***

\* 24h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, [www.kronospan.com/en\\_EN/floor-with-more/](http://www.kronospan.com/en_EN/floor-with-more/)

\*\* Tested germs: *Staphylococcus aureus*

\*\*\* May contain traces of PVC, e.g. from packaging

## Real Wood

**REAL WOOD  
SURFACE ON MO.RE!  
INNOVATIVE MOISTURE  
RESISTANT CORE**

**BEAUTY AND  
ELEGANCE IN ONE**

**SOFT BEVEL EDGES  
THAT MATCH AND  
ENHANCE THE FLOOR'S  
NATURAL WARMTH**



**O352 Roast Oak, LU**

# REAL WOOD




A close-up photograph of a bouquet of flowers in a light-colored vase. The bouquet includes several pink tulips and white lilies, with some green foliage interspersed. The vase is positioned on a dark surface, and the background is a plain, light-colored wall.

Format:  
**1383 x 244 mm** | 54.45" x 9.61"

Thickness:  
**8.5 mm**

Lock:  
**Angle Tap**




**O273** Oak Bradford, LU




O273

## Oak Bradford, LU



0462

Oak Schönbrunn, LU



0352

Oak Roast, LU





## LONG PLANK 12



Format:  
**2003 x 245 mm** | 78.86" x 9.65"

Thickness:  
**12 mm**

Lock:  
**1clic 2go pure+**




## LONG PLANK 12




**K662**

Sepia Tegernsee Oak, TG



**K664**

Hare Tegernsee Oak, TG



**K851**

Ferry Oak, MW



B/R10



Format:

**2003 x 245 mm** | 78.68" x 9.65" **12 mm**

Thickness:



**K664** Hare Tegernsee Oak, TG


## ATLANTIC 12



Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**12 mm**


Lock:  
**1clic 2go pure+**




**K845**  
Oak, DY



**K843**  
Natural Darcy Oak, DY



**K285**  
Haybridge Oak, HO




## ATLANTIC 12




**K726**  
Honey Ethereal Oak, ET

new



**K476**  
Inca Carpenter Oak, CM



**K287**  
Steelworks Oak, HO






Format:  
**2003 x 245 mm** | 78.68" x 9.65" **12 mm**  
Thickness:



**K476** Inca Carpenter Oak, CM


# ATLANTIC 10




## ATLANTIC 10




**K854**  
Sand Ribera Oak, RR



**K853**  
Honey Ribera Oak, RR




**K478**  
Mushroom Carpenter Oak, CM



**K853** Honey Ribera Oak, RR

Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**10 mm**


**K665**  
Copper Ethereal Oak, ET



**K413**  
Blackwater Oak, OE




**5537**  
Tawny Chestnut, RC




## ATLANTIC 10



**5947**  
Historic Oak, HO



**K476**  
Inca Carpenter Oak, CM




**8155**  
Appalachian Hickory, VH



**K479** Espresso Carpenter Oak, CM

Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**10 mm**

**8156**  
Red River Hickory, VH



**K479**  
Espresso Carpenter Oak, CM



## HERRINGBONE 8



Format:  
**630 x 126 mm** | 24.80" x 4.96"

Thickness:  
**8 mm**

Lock:  
**Fold Down**


**m.re!**  
moisture resistance technology  
\* selected decors




**K326** Sundance Oak, RO



**K326**  
Sundance Oak, RO



**K844**  
Cream Darcy Oak, DY




**K847**  
Blonde Montanara Oak, MR

## HERRINGBONE 8




**K843**  
Natural Darcy Oak, DY

new



**K850**  
Smoked Montanara Oak, MR

new



**K848**  
Aged Montanara Oak, MR

new




**K488** Rutherford Oak, HO

Format:  
**630 x 126 mm** | 24.80" x 4.96"  
Thickness:  
**8 mm**

**K488**  
Rutherford Oak, CM




**5947**  
Historic Oak, HO



**K489**  
Dark Montanara Oak, MR

new



## HERRINGBONE 8



**K023**  
Venato, SU



Format:  
**630 x 126 mm** | 24.80" x 4.96"  
Thickness:  
**8 mm**



**K023** Venato, SU

## LONG PLANK 8




Format:  
**2003 x 245 mm** | 78.86" x 9.65"

Thickness:  
**8 mm**

Lock:  
**1clic 2go pure+**

**m.re!**  
moisture resistance technology



**K847** Blonde Montanara Oak, MR



**K844**  
Cream Darcy Oak, DY



**K847**  
Blonde Montanara Oak, MR



**K843**  
Natural Darcy Oak, DY

## LONG PLANK 8



**K850**  
Smoked Montanara Oak, MR

new



**K848**  
Aged Montanara Oak, MR

new



**K849**  
Dark Montanara Oak, MR

new



Format:  
**2003 x 245 mm** | 78.86" x 9.65" Thickness:  
**8 mm**




**K850** Smoked Montanara Oak, MR

ATLANTIC 8



Formats:

Thickness: Lock:  
**8 mm** **1clic 2go pure+**



**K653** Ecru Cantal Oak, MW

Format: **1288 x 195 mm** | 50.71" x 7.68" Thickness: **8 mm**




## ATLANTIC 8



**K469**  
Tortilla Cashmere Oak, NL



**K453**  
Biscotti Oak, HO



**K326**  
Sundance Oak, RO



**K469** Tortilla Cashmere Oak, NL

Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**8 mm**

**K844**  
Cream Darcy Oak, DY






**K856**  
Greige Palais Oak, MW






**K2737**  
Cotta Cremona Oak, MW




## ATLANTIC 8




Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**8 mm**



## ATLANTIC 8



Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**8 mm**



**K857** Grey Palais Oak, MW



MO.RE! WATER RESISTANT FLOORING

## ATLANTIC 8



**K849**  
Dark Montanara Oak, MR

new




Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**8 mm**



**K849** Dark Montanara Oak, MR

## ATLANTIC 8



**K539** Fossil Arosa, AS

Format:  
**638 x 330 mm** | 25.12" x 12.99"

Thickness:  
**8 mm**

# ATLANTIC 7



Formats:  
**1288 x 245 mm** | 50.71" x 9.65"  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness: **7 mm**  
Lock: **1clic 2go pure+**

**m.re!**  
moisture resistance technology



**K652** Cashmere Montreux Oak, MW

Format:  
**1288 x 195 mm** | 50.71" x 7.68" Thickness:  
**7 mm**




**K652**

Cashew Montreux Oak, MW



**K629**

Gold Fiordaliso Oak, MW



**K654**

Sand Cantal Oak, MW



# ATLANTIC 7



**K638**

Wheat Cornforth Oak, MW



**K647**

Clay Sola Oak, MW



**K650**

Grizzly Montreux Oak, MW



Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**7 mm**



**K647** Clay Sola Oak, MW


## ATLANTIC 7



**K655**  
Dove Cantal Oak, MW




**K649**  
Sienna Montreux Oak, MW



**K655** Dove Cantal Oak, MW

Format:  
**1288 x 245 mm** | 50.71" x 9.65"  
Thickness:  
**7 mm**



## Laminate Flooring

with  
Optimized Wood  
Fiber Technology

# FAVOURITE FOR EVERYDAY LIVING



Time on Your Side:  
Up to 8 hours of protection against standing water.

**AUTHENTIC LOOK  
AND FEEL**

**LIGHT  
RESISTANT**



**DIY-FRIENDLY  
INSTALLATION**

**HYGIENIC\* AND  
EASY-TO-CLEAN SURFACE**


**UTILIZATION  
CLASS 32**

\* Tested germs: *Staphylococcus aureus*



**K625 Wheat Pistachio Oak, MW**

## SUPER NATURAL 8




Format:  
**1288 x 195 mm** | 50.71" x 7.68"

Thickness:  
**8 mm**

Lock:  
**1clic 2go pure+**



**5966** Khaki Oak, NL




## SUPER NATURAL 8



**K057**  
Clearwater Oak, GT



**K625**  
Wheat Pistachio Oak, MW



**K419**  
Armoury Oak, GT



Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**8 mm**




**K338**  
Credenza Oak, NL



**8573**  
Harlech Oak, LP

## SUPER NATURAL 8



150



Format:  
**1288 x 195 mm** | 50.71" x 7.68"  
Thickness:  
**8 mm**



**K468** Gondola Oak, GT

WALLS



# Acoustic Panels


**YOUR SPACE,  
YOUR SOUND,  
PERFECTED**

## Creative Freedom


Acoustic panels allow you to quickly and effectively create elevated contemporary interior spaces.

## Exclusive Design

An exclusive appearance, produced with a focus on aesthetics and elegance.




K543 Sand Barbera Oak, SN



K688 Natural Canella Oak, PW



K547 Tobacco Franklin Walnut, RW




# Kronowall 3D Panels

## WALLS WORTH SHOWING OFF

When it comes to adding style and character to your spaces, our 3D wall panels are the easy choice to make.

Their smart mounting system ensures quick, precise, and hassle-free installation. Each panel is 12 mm thick with a durable, easy-to-clean and maintain surface for long-lasting beauty.





## WALL & CEILING PANELS

**EASY STYLE  
FOR EVERY  
WALL**


**Fast and easy  
installation due to  
the click connection**

**Variable longitudinal  
joint design**

**Suitable for humid  
areas**

**Perfect connection with self-locking  
tongue & groove profile on the short side**





## WALL & CEILING PANELS



Format: Thickness:  
**1300 x 202 mm** | 51.18" x 7.95" **10 mm**  
**2000 x 202 mm** | 78.74" x 7.95"  
**2600 x 202 mm** | 102.36" x 7.95"



# Accessories that match your floor perfectly

## Selected range of products

Every floor needs proper accessories. We can supply you with the ideal equipment for all types of flooring. One contact, one supplier – which makes everything so much simpler for you.

## Underlays

Depending on the situation in the room, attention must be paid to the correct underlay material when installing the flooring. For this we offer multiple solutions.



**KronoOriginal®**



## Skirting boards

Choose from a range of skirtings in various decors that match all KronoOriginal® floors. Our advanced fixing system makes it quick and simple to achieve a perfect installation.

## Additional accessories

If you still look for the proper skirting board, corner pieces, aluminium adhesive tape for sealing or you are done and wish to mop the floor, take a look at the following pages and discover the wide range of accessories.

# All under one roof

**Our guidance system shows  
the matching products for  
different types of floor.**



REAL WOOD  
Height: 8.5 mm



Vinyl flooring:  
Height: 5+1 mm,  
including silent pad, floating installation



O.R.C.A. flooring:  
Height: 7, 8, 8.5, 9 mm, organic rigid  
coreboard, floating installation



MO.RE! flooring:  
Height: 7, 8, 10 and 12 mm



Laminate flooring:  
Height: 8 mm

# Underlays

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Underlay PUR 1.0		98535 [EX PUR1.0_ORCA] 98535 [EX PUR1.0_SPC]	Material: PET film + polyurethane heavy- duty layer + non-woven material	1 x 10 m = 10 m <sup>2</sup>	
Underlay PUR 2.0		98571 [EX KO98571N]	Material: Polyurethane and mineral fillers	1 x 7.5 m = 7.5 m <sup>2</sup>	
Underlay WOOD 5.0		90171 [EX 90171.]	Material: Wood fibres	0.79 x 0.59 m x 15 = 7 m <sup>2</sup>	
Underlay XPS 5.0		98536 [EX XPS5.0]	Material: Extruded polystyrene	1.18 x 4.7 m = 5.5 m <sup>2</sup>	
Underlay XPS 2.2 ALU		98515 [EX XPS2.2ALU]	Material: HFPS-foam & moisture protection foil	1.2 x 12.5 m = 15 m <sup>2</sup>	
PE foil		98111 [EX FOLIE2.0]	Material: Polyethylene	2 x 7.5 m = 15 m <sup>2</sup>	
Aluminium tape		98191 [EX ALUBAND]	Thickness: 0.048 mm Width: 50 mm	1 roll (50 m)	




# Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
K58C		91061 [EX xxxxSLH]	2600 x 58 x 18 mm	10 pcs.	
K58C skirting board moisture resistant		97345 [EX SK58C-xxxx]	2400 x 58 x 18 mm	10 pcs.	
K58C skirting board for floors with O.R.C.A. (Water Defense Technology)		95316 [EX xxxxSLH-ORCA]	2600 x 58 x 18 mm	10 pcs.	
Square cut skirting board		95951 [EX 9002DS19_100]	2600 x 100 x 17 mm	5 pcs.	
Square cut skirting board		95481 [EX 9002DS19_70]	2600 x 70 x 17 mm	10 pcs.	
Square cut skirting board		95491 [EX 9002DS19_58]	2600 x 58 x 17 mm	10 pcs.	
Shaped skirting board		95981 [EX 9002DS17_100]	2600 x 100 x 17 mm	5 pcs.	

# Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Shaped skirting board		95991 [EX 9002DS17_70]	2600 x 70 x 17 mm	10 pcs.	
Shaped skirting board		95471 [EX 9002DS17_58]	2600 x 58 x 17 mm	10 pcs.	
Rounded skirting board		96001 [EX 9002DS15_100]	2600 x 100 x 15 mm	5 pcs.	
Rounded skirting board		96021 [EX 9002DS16_90]	2600 x 90 x 16 mm	5 pcs.	
Rounded skirting board		96011 [EX 9002DS15_70]	2600 x 70 x 17 mm	10 pcs.	
Accessories for K58C skirting board		98011 98001 98021	External corners Internal corners End caps	90° in packs of 2 90° in packs of 2 in packs of 4, 2 left and 2 right	
Mounting clips		91501 [EX 50510]	-	Box of 30 pieces, complete with screws and rawl plugs	

# Profile systems

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Design click transition profile, 2-part		95112 95113	900 mm or 2700 mm	1 pcs.	    
Design click ramp profile, 2-part		95122 95123	900 mm or 2700 mm	1 pcs.	    
Design click end profile, 2-part		95132 95133	900 mm or 2700 mm	1 pcs.	    
Transition click profile		98391 98381	900 mm or 2700 mm	1 pcs.	    
Ramp click profile		98411 98401	900 mm or 2700 mm	1 pcs.	    
End click profile		98371 98361	900 mm or 2700 mm	1 pcs.	    
3in1 profiles		95315 [EX 95315-A002] anodised stainless steel	1000 mm	10 pcs.	    

# Additional accessories

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Tap-block		90274 [EX SCHLAGKLOTZ]	168/90 x 70 x 20 mm	20 pcs.	    
Clickguard™ joint sealant		90431 [EX 94270]	-	125 ml ≈ ca. 10 m²	    
Laminate cleaner		90411 [EX 92011]	-	1000 ml	    
Design floor cleaner		97554 [EX DESIGNBODEN_REINIGER]	-	750 ml	    
Cleaner for floors with O.R.C.A. (Moisture Defense Technology)		90411 [EX REINIGER_ORCA]	-	750 ml	    

# Packaging information

Flooring Type	Collection Name	Plank Size	Thickness	Planks/Pack.	m <sup>2</sup>   sq ft/Pack.	Weight/Pack. [kg   lbs]	Pack./Pallet = m <sup>2</sup>   sq ft
ROCKO VINYL FLOORING	<b>LONG PLANK SILENT</b>	1850 x 295 mm   72.83" x 11.61"	6 mm	4 planks	2,18 m <sup>2</sup>   23,46 sqft.	22,1 kgs   48,74 lbs	45 pack. = 98,24 m <sup>2</sup>   1057 sqft.
	<b>HERRINGBONE SILENT</b>	635 x 127 mm   25.00" x 5.00"	6 mm	20 planks	1,61 m <sup>2</sup>   17,36 sqft.	17,60 kgs   38,80 lbs	48 pack. = 77,42 m <sup>2</sup>   833 sqft.
	<b>WIDE PLANK SILENT</b>	1210 x 234 mm   47.64" x 9.21"	6 mm	6 planks	1,69 m <sup>2</sup>   18,19 sqft.	16,91 kgs   37,28 lbs	48 pack. = 87,54 m <sup>2</sup>   942 sqft.
	<b>STANDARD PLANK SILENT</b>	1210 x 192 mm   47.64" x 7.56"	6 mm	7 planks	1,63 m <sup>2</sup>   17,50 sqft.	15,88 kgs   35,01 lbs	60 pack. = 97,57 m <sup>2</sup>   1050 sqft.
O.R.C.A. WATERPROOF FLOORING	<b>FLEX SILENT CORK</b>	638 x 322 mm   25.12" x 12.68"	7 mm	12 planks	2,47 m <sup>2</sup>   26,54 sqft.	15,97 kgs   35,21 lbs	32 pack. = 78,89 m <sup>2</sup>   894 sqft.
		1288 x 189 mm   50.71" x 7.44"		10 planks	2,43 m <sup>2</sup>   26,20 sqft.	15,71 kgs   34,63 lbs	52 pack. = 126,58 m <sup>2</sup>   1363 sqft.
	<b>CLASSIC SILENT ECO/CORK</b>	1286 x 192 mm   50.63" x 7.56" ECO	8.5 mm	9 planks	2,22 m <sup>2</sup>   23,92 sqft.	15,70 kgs   34,61 lbs	48 pack. = 106,67 m <sup>2</sup>   1148 sqft.
		1288 x 195 mm   50.71" x 7.68" ECO	9 mm	8 planks	2,01 m <sup>2</sup>   21,63 sqft.	13,62 kgs   30,03 lbs	52 pack. = 104,48 m <sup>2</sup>   1125 sqft.
		1383 x 159 mm   54.45" x 6.26" Cork	8.5 mm	11 planks	2,42 m <sup>2</sup>   26,04 sqft.	16,22 kgs   35,75 lbs	45 pack. = 108,85 m <sup>2</sup>   1172 sqft.
	<b>CLASSIC</b>	638 x 330mm   25.12" x 12.99"	8 mm	11 planks	2,32 m <sup>2</sup>   24,93 sqft.	17,16 kgs   37,83 lbs	32 pack. = 74,11 m <sup>2</sup>   798 sqft.
		1288 x 195 mm   50.71" x 7.68"		9 planks	2,26 m <sup>2</sup>   24,33 sqft.	16,50 kgs   36,38 lbs	52 pack. = 117,54 m <sup>2</sup>   1265 sqft.
REAL WOOD FLOORING	<b>COMFORT SILENT CORK</b>	1288 x 195 mm   50.71" x 7.68"	8 mm	9 planks	2,26 m <sup>2</sup>   24,33 sqft.	16,41 kgs   36,18 lbs	32 pack. = 72,33 m <sup>2</sup>   779 sqft.
	<b>CLEVER SILENT ECO</b>	1288 x 195 mm   50.71" x 7.68"	7 mm	9 planks	2,26 m <sup>2</sup>   24,33 sqft.	14,38 kgs   31,70 lbs	52 pack. = 117,54 m <sup>2</sup>   1265 sqft.
MO.RE! WATER RESISTANT FLOORING	<b>REAL WOOD</b>	1383 x 244 mm   54.45" x 9.61"	8.5 mm	7 planks	2,26 m <sup>2</sup>   25,43 sqft.	16,11 kgs   35,52 lbs	45 pack. = 106,30 m <sup>2</sup>   1144 sqft.
	<b>LONG PLANK 12</b>	2003 x 245 mm   78.86" x 9.65"	12 mm	4 planks	1,96 m <sup>2</sup>   21,13 sqft.	19,80 kgs   43,65 lbs	36 pack. = 70,67 m <sup>2</sup>   761 sqft.
	<b>ATLANTIC 12</b>	1288 x 195 mm   50.71" x 7.68"	12 mm	6 planks	1,51 m <sup>2</sup>   16,22 sqft.	15,35 kgs   33,84 lbs	52 pack. = 78,36 m <sup>2</sup>   843 sqft.
	<b>ATLANTIC 10</b>	1288 x 195 mm   50.71" x 7.68"	10 mm	7 planks	1,76 m <sup>2</sup>   18,92 sqft.	14,77 kgs   32,56 lbs	52 pack. = 91,42 m <sup>2</sup>   984 sqft.
	<b>HERRINGBONE 8</b>	630 x 126 mm   24.80" x 4.96"	8 mm	11 planks	0,87 m <sup>2</sup>   9,40 sqft.	5,98 kgs   3,18 lbs	96 pack. = 83,83 m <sup>2</sup>   902 sqft.
	<b>LONG PLANK 8</b>	2003 x 245 mm   78.86" x 9.65"	8 mm	6 planks	2,94 m <sup>2</sup>   31,69 sqft.	21,75 kgs   47,95 lbs	36 pack. = 106,00 m <sup>2</sup>   1141 sqft.
	<b>ALTANTIC 8</b>	1288 x 195 mm   50.71" x 7.68"	8 mm	9 planks	2,26 m <sup>2</sup>   24,33 sqft.	15,35 kgs   33,84 lbs	52 pack. = 117,54 m <sup>2</sup>   1265 sqft.
		638 x 330 mm   25.12" x 12.99"		11 planks	2,32 m <sup>2</sup>   24,93 sqft.	15,41 kgs   33,97 lbs	32 pack. = 74,11 m <sup>2</sup>   798 sqft.
LAMINATE FLOORING	<b>ATLANTIC 7</b>	1288 x 245 mm   50.71" x 9.65"	7 mm	9 planks	2,84 m <sup>2</sup>   30,57 sqft.	16,74 kgs   36,91 lbs	39 pack. = 110,76 m <sup>2</sup>   1192 sqft.
		1288 x 195 mm   50.71" x 7.68"		10 planks	2,51 m <sup>2</sup>   27,03 sqft.	14,60 kgs   32,19 lbs	52 pack. = 130,60 m <sup>2</sup>   1406 sqft.
SUPER NATURAL 8	<b>SUPER NATURAL 8</b>	1288 x 195 mm   50.71" x 7.68"	8 mm	9 planks	2,84 m <sup>2</sup>   30,57 sqft.	15,35 kgs   33,84 lbs	52 pack. = 117,54 m <sup>2</sup>   1265 sqft.



K852 Vintage Ribera Oak, RR

# Features guide

## Your benefits at a glance




Residential  
guarantee

All floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product.



Robust

This flooring is amazingly robust due to its super durable surface. Moving furniture or falling objects are not a problem because of its high pressure and impact resistance.



Real groove

Bevelled edges on all four sides of the plank ensure an authentic floorboard look.



Warm  
underfoot

Due to its flexible design layer, the flooring has comfortable haptics and is warm underfoot.




Pressed  
bevel

Inspired by traditional craftsmanship, the true-edge-bevels provide a harmonious room appearance.



Anti-slip  
class

Safety is something we put great emphasis on. Classification in anti-slip classes has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present. Classification: R9 and R10 according to DIN 51130 and DIN EN 16165, A and B according DIN 51097 and DIN EN 16165



Micro bevel

Micro bevel creates precise plank separation for a smooth and subtle surface.



Anti-slip  
class

The flooring has a soft surface and feels very comfortable.



Soft bevel

Soft bevel ensures easy plank joining and clean natural-looking finish.



Soft touch

The flooring has a soft surface and feels very comfortable.



Anti bacterial  
comfort

A.B.C. Anti Bacterial Comfort inhibits the growth of bacteria on your flooring and provides you with the peace of mind that comes from a healthy home environment. Tested germs: Staphylococcus aureus.



Real wood

This floor is made from real wood. The high-quality brushed oak surface gives every room natural elegance.



Authentic  
embossed

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



Anti-static

The flooring provides complete protection against unpleasant shocks. The Anti-static is built-in and guaranteed for the life of the floor.



Microscratch  
protect

The robust surface protects your flooring against microscratches that can be caused by strong mechanical stresses or the claws of house pets.



Multi Room  
Concept

Design available in different plank formats for every space – long plank, herringbone, standard / wide plank



Pet-proof

Thanks to the robust surface, which is also undaunted by small mishaps, the flooring is exceptionally well-suited for life with house pets.



Perfect  
Plank

Seamless design over large areas - unique planks




Light-  
resistant

Even on days when the sun is shining for hours, your flooring maintains its color and does not fade. Not suitable for spaces with direct sunlight.



Silent

Due to the integrated pad, the flooring reduces impact sound, echoes and vibrations.



## SENSOTOUCH

Digital technology for both printing and texturing, creating a perfectly harmonized decor.



## Disclaimer

The information contained in this promotional material is for illustration and informational purposes only and is subject to change. Statements, figures, calculations, plans, images and representations are indicative only. Images may include sketches and computer generated images. The information contained in this material is a guide only and does not constitute an offer, inducement, representation, warranty or contract. Colors used in this promotional material may differ from the colors of products to be supplied. Customers and third parties must have a professional adviser inform them about the suitability of products for all desired applications.

Although every reasonable effort is made to present current and accurate information, Kronospan accepts no responsibility for the accuracy of any information contained herein or for any action taken in reliance thereon by any party. Kronospan makes no guarantees of any kind. No rights can be derived from the information provided. The use of the information is at the other party's risk and responsibility. Accordingly, any other party should confirm the accuracy and completeness of the information before making any decision related to any services, products or other matters described in this material. All intellectual property rights and other rights regarding the content of this material (including copyright, trademarks, text and photographs) are owned by Kronoplus Limited.

®

**Krono**  
Original

High Quality

Made by Kronospan

**kronospan**

[www.kronospan.com](http://www.kronospan.com)  
[www.krono-original.com](http://www.krono-original.com)

